




Condensing Warm Air Central Heating

Downflow and Upflow Models.



sustainable solutions
under one roof

HEATING / HOT WATER / VENTILATION



Model Range

WarmCair Models	
DOWNFLOW	UPFLOW
C10D	-
C16D	C16U
C26D	C26U
C36D	C36U
C46D	C46U


Features

- Up to 98% Thermal Efficiency
- Low Carbon & NOx Emissions
- Enhanced electronic control
- Fully modulating
- Electronic air cleaner option
- Room Sealed
- Available up to 46kW
- Summer air circulation facility
- Available either upflow or downflow
- Condensing pump included as standard.



WarmCair C26D & C26U Internal view

- 1. MMI Control panel with time control
- 2. Electrical panel
- 3. Sliding flue connector
- 4. Combustion air fan assembly
- 5. Gas valve/venturi with burner arm
- 6. Integral condensate pump
- 7. Duct temperature sensor
- 8. ESYS PCB
- 9. Flue collector box
- 10. EC Air circulation fan
- 11. Air filter



Technical Data

	DOWNFLOW					UPFLOW			
	C10D	C16D	C26D	C36D	C46D	C16U	C26U	C36U	C46U
Output kW	9.0	15.0	23.0	32.0	40.0	15.0	23.0	32.0	40.0
Dimensions H x W x D	1200 x 300 x 550	1200 x 400 x 665	1200 x 485 x 665	1257 x 600 x 800	1257 x 600 x 800	1200 x 400 x 665	1200 x 485 x 665	1257 x 600 x 800	1257 x 600 x 800
Flue Diameter	60/100mm	60/100mm	60/100mm	80/125mm	80/125mm	60/100mm	60/100mm	80/125mm	80/125mm



In the interest of continuous development Johnson & Starley reserve the right to change specification without prior notice.

Johnson & Starley Ltd. Rhosili Road, Brackmills, Northampton NN4 7LZ
Telephone: 01604 762881 Fax 01604 767408